

ABOUT US

2010 THOR TRAILER was established at Ankara to produce concrete truck mixers and semitrailers as OEM partner with leading industrial companies of Europe with Senior Mechanical Engineer Hakan Genis.

CREATIVITY

The designs of the mixers are heavy conditions oriented done by an efficient and experienced R&D Engineers, which are produced with efficiency and with a high quality standards. After Sale Services is guaranteed, so that the customers' needs of spare part and service are satisfied immediately.

With the top quality and dedicated staff enables the company to reach a high performance level, allowing it to be reliable and to have an innovative design. Thor Trailer is at the same time a superstructure partner company approved by Mercedes-Benz Trucks and MAN Trucks.



"Do things at your own pace.

Life's not a race."



TRUCK MOUNTED MIXER

		0
Model	Truck Type	m3
THR 3-SS	4x2	3
THR 4-SS	4x2	4
THR 5-SS	6x4	5
THR 6-SS	6x4	6
THR 7-SS	6x4	7
THR 8-SS	6x4	8
THR 9-SS	6x4 - 8x4	9
THR 10-SS	8x4	10
THR 12-SS	8x4	12
THR 14-SS	10 x5	14



The product range of THOR truckmixers start from 3 m3 to 14 m3 As result of the special spiral blade design inside of the drum, it allows to carry the concrete for a long time without losing its characteristics and homogeneity. With high quality equipped hydraulic european transmissions and gearboxes, of which are powered by the trucks engine set at 1500 RPM, it allows to reach the maximum rotation mixing speed of the drum. Such characteristic allows reducing the fuel consumption. The special steel increase the life span of the drum for it has a very high resistance to erasing and corrosion.





SEMITRAILER





MIXING TANK: 4 mm S 500/4 mm 30 mm B5

NOMINAL CAPACITY: 12m³-16 m³

GEOMETRIC CAPACITY: 19.600-23.300 liters

USING RATIO: %64

LOADING WIDENESS: 2.350mm HEIGHT: 2.750 mm-3.250 mm WEIGHT: 4.600kg - 4.900 kg

REDUCER: Transmital/ZF

HYDRAULIC PUMP: EATON or REXROTH HYDRAULIC MOTOR: EATON or REXROTH

COOLER: AKG 24V (18lt)

WATER PUMP: RPM/500 driven from Reducer.

MIXING HELIX: 4 mm 30 Mn B5

CONTROL SYSTEM: Mixer Control Block can be

adjusted between 0,15 min.

ADDITIONAL CHUTES: 5 mm plastic gutter OPTIONAL: MAGIRUS-DIESEL MOTOR



